



# E+

## EXTENDED RANGE SENSORS



# Extended Range. Expanded Opportunities.

Expand your security business with greater, more reliable coverage for larger properties.



# E+ EXTENDED RANGE SENSORS

The new 2GIG® E+ Extended Range sensors provide expansive security coverage for large residential and light commercial properties.



Paired with the innovative 2GIG EDGE™ panel, this security solution provides peace of mind to end users and new business opportunities for integrators.



E+ SENSORS WORK WITH  
**2GIG EDGE™**  
*(FW 1.3 or above required)*

**Sensor Range up to 2km**  
with 900MHz spectrum  
*(May vary depending on building materials)*

**Reduce Installation Time**  
with local, device-based testing

**Longer Battery Life**  
*(Based on use frequency & sensor type)*

**Sleek & Modern Aesthetics**

**Improved & Simplified  
Sensor Enrollment Process**  
with new EDGE 1.3 Firmware

**Two-way Encrypted  
Communication**  
for enhanced security and reliability

# Extended Range. Expanded Opportunities.



## 2GIG-PIR1E-900

### Passive Infrared Motion Detector

- Detection range of 30 by 50 ft for comprehensive coverage
- Includes pet immunity, filtering out movements of pets weighing up to 85 lbs. Minimizes false alarms, and includes installer-adjustable setting to on/off



## 2GIG-DW10E-900

### Indoor Door/Window Contact

- Thoughtful design and seamless fit with a pre-included spacer, enabling more door & window applications
- Rounded outer with square interior enables accurate installation, for optimized installer experience
- Battery life of up to 8 years reduces replacement & truck rolls
- Supports external Normally Open or Normally Closed input



## 2GIG-GB1E-900

### Glass Break Detector

- Intelligent detection of glass types: plate, tempered, laminated or coated
- Dual stage thud and crash detection algorithm mitigates false alarms and ensures reliable notification
- Enhances safety by detecting glass shattering noise in a 15 foot radius
- User-adjustable sensitivity settings to reduce false alarms in noisy environments



## 2GIG-DW30E-900

### Outdoor Wireless Contact Sensor

- Designed for extreme weather conditions (IP56) and water resistant (-40° to 150° F)
- Paintable casing to match mounting surface
- Wide magnet gap (up to 1.3") for yard gates, swimming pool access, detached garages, etc.
- Supports external Normally Open or Normally Closed input



## 2GIG-SMKT-900

### Smoke/Heat/Freeze Detector

- Supports UL268 7th edition requirements
- One Go/All Go communication enables all E+ smoke detectors to collectively sound an alarm for faster response
- Monitors & reports excessive temperature variances
- Improved optical smoke detection chamber for recognition of smoke from synthetic materials



# E+ EXTENDED RANGE SENSORS



**2GIG-DW10E-900**  
Indoor Door/Window  
Contact



**2GIG-GB1E-900**  
Glass Break  
Detector



**2GIG-PIR1E-900**  
Passive Infrared  
Motion Detector




**2GIG-DW30E-900**  
Outdoor Wireless  
Contact Sensor



**2GIG-SMKT-900**  
Smoke/Heat/Freeze  
Detector

## 2GIG EDGE™



### **NEW** Firmware 1.3 for 2GIG EDGE

Compatible with New E+ Sensors *(FW 1.3 or above required)*

Streamlined Sensor Enrollment Set-up

Z-wave Long Range Support

Z-wave Backup and Restore

*The Ultimate EDGE in Smart Security*



Intrepid Automated Systems  
(833) 358-4720  
info@intrepidautomatedsystems.com  
<https://www.intrepidautomatedsystems.com>  
P.O. Box 680713  
Park City, Utah 84068

Discover  
More!



**2GIG.com**

